Clark County Regional Flood Control District

Citizens Advisory Committee
February 1, 2021



Item #8

 Action to adopt the flood control Master Plan Update for the Muddy River and Tributaries (For possible action)



2020 Flood Control Master Plan Update Muddy River and Tributary Washes

Clark County Regional Flood Control District

Presentation and Recommendations







Master Plan Objectives

- NRS 543.596 requires that flood control master plans be reviewed and updated every 5 years.
- The purpose of the update (MPU) is to add new information, assess progress, identify obstacles, and recommend changes
- Previous updates completed in 1988, 1994, 2001, 2005, 2010, 2016



Master Plan Process


- Field investigations
- Data collection & review
- Input from CCPW & Maintenance Group
- Hydrologic and hydraulic analysis
- Addition/modification of regional facilities
- Cost estimate development




Study Area

- Western Washes
- Eastern Washes
- Lower Muddy River
- Moapa







LEGEND


Regional Facility Status

Existing

--- New

Modified

--- Removed



LEGEND Regional Facility Status

Existing

New

Modified

· · · · Removed

Cost Estimates

Total Value of Existing Facilities – \$37.4 million

Total Estimated Cost for Proposed Facilities – \$ 158.6 million

	EXISTING	PROPOSED			
WATERSHED	Total Value	Design & Admin Cost	Right-of- Way Cost	Construction Cost	Total Cost
	(\$ x 1000)	(\$ x 1000)	(\$ x 1000)	(\$ x 1000)	(\$ x 1000)
EASTERN WASHES	\$0	\$8,449	\$0	\$42,245	\$50,694
LOWER MUDDY RIVER	\$36,014	\$9,344	\$4,173	\$46,722	\$60,240
WESTERN WASHES	\$1,346	\$7,948	\$0	\$39,738	\$47,685
Total	\$37,360				\$158,619

Action Needed

Recommended approval

Adopt the MPU for the Muddy River and Tributaries and find that the MPU is the most effective structural and regulatory means for correcting existing problems of flooding within the area and dealing with the probable effects of future development and forward to Clark County for adoption as an amendment to their Comprehensive Plan in accordance with NRS 543.597(5,6).





